ELSEVIER

Journal of Magnetism and Magnetic Materials 215–216 (2000) xx–xxviii

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Contents

Preface xi

Scientific organization xiii

Obituaries xv

1. Basic problems, magnetization processes

V. Basso and G. Bertotti
Hysteresis in soft magnetic materials (*Invited paper*) 1

A.S. Arrott
The past, the present and the future of soft magnetic materials (*Invited paper*) 6

H. Kronmüller and R. Hertel
Computational micromagnetism of magnetic structures and magnetisation processes in small particles (*Invited paper*) 11

A. Aharoni
An ideally soft ferromagnet: is it feasible? (*Invited paper*) 18

L. Sheiko, G. Brekharya, À. Sadovoy, O. Kulyk and I. Pisanko
Calculation of the magnetostatic energy referred to magnetic charges on surfaces of the grain boundaries 24

Y.Yu. Melikhov, I. Tomáš, J. Kadlecová and O.V. Perevertov
Investigation of two-phase samples by Preisach modelling 27

A. Lančok, K. Závěta, S. Vratislav, P. Bezdička and I. Paseka
Dependence of the magnetic moment of iron nitrides on the presence of defect phase 30

Z. Szabó and A. Iványi
Computer-aided simulation of Stoner–Wohlfarth model 33

K.L. Metlov
Micromagnetics and interaction effects in the lattice of magnetic dots 37

C.S. Kim, S.-I. Park and Y.-J. Oh
Mössbauer studies of CMR compound $La_{0.67}Ca_{0.33}Mn_{0.97}{}^{57}Fe_{0.03}O_3$ 40

M. Enokizono, T. Todaka and Y. Yoshitomi
Chaotic phenomena of rotational Barkhausen noise 43

O. Bottauscio, M. Chiampi and D. Chiarabaglio
Magnetic flux distribution and losses in narrow ferromagnetic strips 46

M.A. Gorlanova, N.A. Skulkina, V.A. Kataev, O.A. Ivanov, A.A. Mikhaylov and A.V. Kuranov
Magnetic properties and domain structure of Fe–Al alloy as magnetostriction material 49

R.M. Vakhitov and A.R. Yumaguzin
On magnetic inhomogeneties, originating in the defect area in a cubic ferromagnet 52

R.M. Vakhitov and V.Ye. Kucherov
Influence of external stresses with $\sigma \| [001]$ upon magnetization processes of cubic ferromagnets 56

S. Szabó, M. Kis-Varga, D.L. Beke and R. Juhász
Effect of residual strain, grain size and Fe impurities on magnetic properties of nanocrystalline Ni(Fe) alloys 60

C. Krell, N. Baumgartinger, G. Krismanic, E. Leiss and H. Pfützner
Stress effects on the multidirectional magnetic behaviour of grain-oriented silicon iron sheets 63

A. Chevalier, J.-L. Mattei and M. Le Floc'h
Ferromagnetic resonance of isotropic heterogeneous magnetic materials: theory and experiments 66

2. Grain-oriented, non-oriented and high-silicon electrical steels

T. Kubota, M. Fujikura and Y. Ushigami
Recent progress and future trend on grain-oriented silicon steel (*Invited paper*) 69

A. Schoppa, J. Schneider and C.-D. Wuppermann
Influence of the manufacturing process on the magnetic properties of non-oriented electrical steels 74

M. Lindenmo, A. Coombs and D. Snell
Advantages, properties and types of coatings on non-oriented electrical steels 79

0304-8853/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.

M. Džubinský, F. Kováč and M. Černík
Secondary recrystallization kinetics in GO electrotechnical steels 83

L. Sheiko, G. Brekharya, O. Kulyk and A. Sadovoy
Experimental investigation of μ^*-effect near the grain boundaries in grain-oriented silicon steel sheets 86

J. Harase and R. Shimizu
Influence of cold rolling reduction on the grain boundary character distribution and secondary recrystallization in nitrided Fe 3% Si alloy 89

F.J.G. Landgraf, R. Takanohashi, F.C. Chagas, M.F. de Campos and I.G.S. Falleiros
The origin of grain size inhomogeneity in semi-processed electrical steels 92

F.J.G. Landgraf, M. Emura, K. Ito and P.S.G. Carvalho
Effect of plastic deformation on the magnetic properties of non-oriented electrical steels 94

F.J.G. Landgraf, M. Emura, J.C. Teixeira and M.F. de Campos
Effect of grain size, deformation, aging and anisotropy on hysteresis loss of electrical steels 97

A. Schoppa, J. Schneider and J.-O. Roth
Influence of the cutting process on the magnetic properties of non-oriented electrical steels 100

O. Thoumire, H. Atmani, A. Fnidiki and J. Teillet
Structural and mechanical study of fluidized-bed nitrided FeSi and FeSiAl sheets 103

H. Denma, Y. Ishihara, T. Todaka and M. Doi
Effect of grain diameter on iron loss properties of non-oriented silicon steel sheets 106

Ed teNyenhuis and R. Girgis
Effect of slitting electrical core steel on measured iron loss 110

L.R. Dupré, F. Fiorillo, J. Melkebeek, A.M. Rietto and C. Appino
Loss versus cutting angle in grain-oriented Fe–Si laminations 112

O. Schneeweiss, N. Pizúrová, Y. Jirásková, T. Žák and B. Cornut
Fe_3Si surface coating on SiFe steel 115

Y. Jirásková, O. Schneeweiss, T. Van Hoecke, D. Segers and Ch. Dauwe
Investigation of defects and stresses in SiFe steel surfaces 118

L.K. Varga, F. Mazaleyrat, J. Kovac and A. Kákay
Soft magnetic properties of nanocrystalline $Fe_{100-x}Si_x$ ($15 < x < 34$) alloys 121

M. LoBue, C. Sasso, V. Basso, F. Fiorillo and G. Bertotti
Power losses and magnetization process in Fe–Si non-oriented steels under tensile and compressive stress 124

L. Ferrando, C. Lebourg, E. Ferrara, C. Appino, F. Fiorillo, J. Degauque, J.L. Gauffier, D.W. Shin and M. Baricco
Effect of stress on magnetic losses and role of Mn addition in Fe–Si rapidly solidified ribbons 127

O. Bottauscio, M. Chiampi, D. Chiarabaglio and M. Zucca
Use of grain-oriented materials in low-frequency magnetic shielding 130

D. Snell and A. Coombs
Novel coating technology for non-oriented electrical steels 133

K. Senda, M. Kurosawa, M. Ishida, M. Komatsubara and T. Yamaguchi
Local magnetic properties in grain-oriented electrical steel measured by the modified needle probe method 136

R. Schäfer and S. Schinnerling
Bulk domain analysis in FeSi-crystals 140

N. Baumgartinger, H. Pfützner and G. Krismanić
Practical relevance of the "hard directions" of h.g.o. Si–Fe 147

G. Krismanić, H. Pfützner and N. Baumgartinger
On the practical relevance of rotational magnetisation for power losses of transformer cores 150

C. Morón, M. Mora and A. García
Computer simulation of grain growth kinetics 153

S. Yanase, Y. Okazaki and T. Asano
AC magnetic properties of electrical steel core under DC-biased magnetization 156

C.G. Kim, H.C. Kim, S.J. Ahn, S.Y. Cha and S.K. Chang
Magnetizing angle dependence of harmonics of magnetic induction and magnetostriction in electrical steel 159

J.-K. Kim, J.S. Woo and S.K. Chang
Influence of annealing before cold rolling on the evolution of sharp Goss texture in Fe-3%Si alloy 162

D.W. Shin, J. Degauque and B. Astie
Magnetomechanical behavior of pure Fe, Ni and 49Fe–49Co–2V 165

D.W. Shin, J. Degauque and B. Astie
Influence of the rolling direction on magnetomechanical damping and mechanical Barkhausen noise of non-oriented Fe–3%Si alloy 168

3. Fe–Ni, Fe–Co, soft ferrites

M. Pardavi-Horvath
Microwave applications of soft ferrites (*Invited paper*) 171

T. Waeckerlé and H. Fraisse
To a phenomenological modeling of permalloy behavior 184

A. Sztaniszlav, M. Farkas-Jahnke and M. Balla
Kinetics of garnet formation in In^{3+}-substituted systems 188

N. Rezlescu, L. Rezlescu, P.D. Popa and E. Rezlescu
Influence of additives on the properties of a Ni–Zn ferrite with low Curie point 194

E. Hug, O. Hubert and I. Guillot
Effect of strengthening on the magnetic behaviour of ordered intermetallic 2% V–CoFe alloys 197

E. Rozenberg, J. Pelleg, D. Mogilyansky, B. Revzin, N. Peleg, G. Gorodetsky and I. Felner
Structural and magnetic properties of $Pb_{0.53}(NiFe)_{0.47}$ granular film 201

B. Revzin, E. Rozenberg, G. Gorodetsky, J. Pelleg and I. Felner
Magnetization and magnetoresistance of magnetically soft manganite $La_{0.67}Sn_{0.33}MnO_3$ 204

T. Waeckerlé, H. Fraisse, L. Chaput and M. Leroy
Low cobalt content electrical sheets for optimized high power density rotating machines 207

S.J. Kim, S.W. Lee, S.Y. An and C.S. Kim
Mössbauer studies of superexchange interactions and atomic migration in $CoFe_2O_4$ 210

C.S. Kim, W.C. Kim, S.Y. An and S.W. Lee
Structure and Mössbauer studies of Cu-doped Ni–Zn ferrite 213

W.C. Kim, S.W. Lee, S.J. Kim, S.H. Yoon and C.S. Kim
Magnetic properties of Y-, La-, Nd-, Gd-, and Bi-doped ultrafine $CoFe_2O_4$ spinel grown by using a sol–gel method 217

A. Gonchar, S. Gorelik, S. Katynkina, L. Letyuk and I. Ryabov
The regularity of microstructure formation and its influence on the properties of soft magnetic ferrites 221

A. Gonchar, S. Katynkina, L. Letyuk and I. Ryabov
The influence of the microstructure parameters on the magnetic losses in soft magnetic ferrites for television engineering 224

A. Ślawska-Waniewska, P. Didukh, J.M. Greneche and P.C. Fannin
Mössbauer and magnetisation studies of $CoFe_2O_4$ particles in a magnetic fluid 227

A. Bieńkowski
Magnetoelastic Villari effect in Mn–Zn ferrites 231

A. Bieńkowski and Z. Kaczkowski
Major and minor magnetostriction hysteresis loops of Co–Cu–Ni ferrite 234

L. Coutu, L. Chaput and T. Waeckerle
50.50 FeNi permalloy with Ti and Cr additions for improved hardness and corrosion resistance 237

4. Amorphous and nanocrystalline alloys

R. Hasegawa
Present status of amorphous soft magnetic alloys (*Invited paper*) 240

A. Inoue, A. Makino and T. Mizushima
Ferromagnetic bulk glassy alloys (*Invited paper*) 246

F. Mazaleyrat and L.K. Varga
Ferromagnetic nanocomposites (*Invited paper*) 253

H. Sassik, M. Schönhart, R. Grössinger, R.S. Turtelli and A. Kottar
Temperature dependence of AC-susceptibility and resistivity of AS-cast and annealed $Fe_{73}Al_5Ga_2P_{11}C_5B_4$ ribbon 260

J.M. Greneche and A. Ślawska-Waniewska
About the interfacial zone in nanocrystalline alloys 264

T. Kemény, D. Kaptás, L.F. Kiss, T. Pusztai, J. Balogh and I. Vincze
The composition dependence of the structural and magnetic properties in $Fe_{92-x}B_xZr_7Cu_1$ nanocrystals 268

I. Todd, B.J. Tate, H.A. Davies, M.R.J. Gibbs, D. Kendall and R.V. Major
Magnetic properties of ultrasoft-nanocomposite FeAlSiBNbCu alloys 272

L. Lanotte, G. Ausanio, M. Carbucicchio, V. Iannotti and M. Muller
Coexistence of very soft magnetism and good magnetoelastic coupling in the amorphous alloy $Fe_{62.5}Co_6Ni_{7.5}Zr_6Cu_1Nb_2B_{15}$ 276

H.K. Lachowicz
Experimental test of Néel's theory of the Rayleigh rule using gradually devitrified Co-based glass 280

M. Yagi, I. Endo, I. Otsuka, H. Yamamoto, R. Okuno, H. Koshimoto and A. Shintani
Magnetic properties of Fe-based amorphous powder cores produced by a hot-pressing method 284

A. Makino, T. Bitoh, A. Kojima, A. Inoue and T. Masumoto
Magnetic properties of zero-magnetostrictive nanocrystalline Fe–Zr–Nb–B soft magnetic alloys with high magnetic induction 288

P. Butvin, B. Butvinová, Z. Frait, J. Sitek and P. Švec
Magnetic response of FeNbCuBSi RQ ribbons to bi-axial strain 293

S.G. Zaichenko, N.S. Perov, A.M. Glezer, E.A. Gan'shina, V.M. Kachalov, M. Calvo-Dalborg and U. Dalborg
Low-temperature irreversible structural relaxation of amorphous metallic alloys 297

R. Yapp, B.E. Watts and F. Leccabue
Characterisation of amorphous Fe–Cr–Si–B alloys 300

A.V. Torcunov, S.A. Baranov and V.S. Larin
The magnetic properties of glass-covered microwire with negative magnetostriction constant 303

H. Lee, Y.-K. Kim, T.-K. Kim and S.-C. Yu
Magnetoimpedance effect in nanocrystalline $Fe_{91-x}Zr_7B_xCu_1Al_1$ ($x = 2, 4, 6, 8$) alloys 307

H. Lee, Y.-K. Kim, K.-J. Lee and T.-K. Kim
A novel annealing technique for the magneto-impedance effect in amorphous $Co_{66}Fe_4Ni_1B_{14}Si_{15}$ alloy 310

M. Zakharenko, O. Brud'ko, M. Babich, V. Nosenko, T. Tsvetkova and O. Stelmakh
Thermomagnetic study of the $Fe_{80}Si_6B_{14}$-based soft magnetic glasses 313

P. García-Tello, J. González, R. Valenzuela and J.M. Blanco
Tensile stress dependence of the coercivity and magnetostriction of stress-annealed (by Joule heating) $Co_{66}Fe_4Mo_2Si_{16}B_{12}$ alloy 316

M. Tejedor, J.A. García, J. Carrizo, L. Elbaile and J.D. Santos
Effect of the residual stresses on surface coercive force in amorphous alloys 319

V. Zhukova, A.F. Cobeño, E. Pina, A. Zhukov, J.M. Blanco, L. Dominguez, V. Larin and J. Gonzalez
Study of the magnetic properties of $Fe_{73.4-x}Cu_1Nb_{3.1}Si_{13.4+x}B_{9.1}$ ($1.1 \leqslant x \leqslant 1.6$) microwires 322

S.S. Yoon, C.G. Kim, K.J. Jang, S.D. Kwon and K.S. Ryu
Effect of annealing field orientation on complex permeability spectra in Co-based amorphous ribbon 325

Y. Okazaki, H. Kitagawa, S. Yanase and S. Handa
Constant permeability properties of Fe-based amorphous ribbon with inorganic coating 328

N.A. Skulkina, E.A. Stepanova, O.A. Ivanov and L.A. Nazarova
The anomaly of frequency dependence of magnetic losses of rapidly quenched alloys 331

P. Kwapuliński, J. Rasek, Z. Stokłosa, G. Haneczok and M. Gigla
Structural relaxation and crystallisation processes in $FeCu_1XSi_{13}B_9$ (X = Mo, Cr, Zr) amorphous alloys 334

L. Pérez, Ó. de Abril, M.C. Sánchez, C. Aroca, E. López and P. Sánchez
Electrodeposited amorphous CoP multilayers with high permeability 337

R. Varga, P. Vojtaník and M. Konč
Low-field magnetic properties of amorphous and nanocystalline FeCrCuNbSiB alloys 340

L. Kraus, H. Chiriac and T.-A. Óvari
Magnetic properties of stress-Joule-heated amorphous FeCrBSi microwire 343

P. Allia, M. Coisson, P. Tiberto, F. Vinai and L. Lanotte
Magnetic permeability relaxation in amorphous $Fe_{62.5}Co_6Ni_{7.5}Zr_6Cu_1Nb_2B_{15}$ 346

C. Appino, C. Beatrice, P. Tiberto and F. Vinai
Giant magnetoimpedance and induced anisotropy in joule-heated and conventionally annealed Co-based amorphous materials 349

J.M. Garcia, A. Asenjo, J.P. Sinnecker and M. Vazquez
Correlation between GMI effect and domain structure in electrodeposited Co–P tubes 352

H.C. Kim, S.C. Yu, C.G. Kim, H.S. Han and W.K. Cho
Neutron irradiation effect on the magnetic properties in $Fe_{87}Zr_7B_6$ 355

G.H. Ryu, S.C. Yu, C.G. Kim and S.S. Yoon
Evaluation of anisotropy field in amorphous $Fe_{71+x}Nb_7B_{22-x}$ alloys by GMI measurement 359

S.H. Yoon, H.M. Lee, S.B. Kim, W.C. Kim and C.S. Kim
Distributions of hyperfine parameters in amorphous $Fe_{78}Al_4Nb_5B_{12}Cu_1$ alloys 362

S.R. Kim, K.H. Kim, Y.I. Jang, J. Kim, S.H. Han and H.J. Kim
Soft magnetic properties of as-sputtered Fe–Al–O films 365

K.H. Kim, Y.H. Kim, J. Kim, S.H. Han and H.J. Kim
Effect of sputtering input power on structural inhomogeneities in as-sputtered Fe–Hf–N thin films 368

S.N. Kane, S. Sarabhai, A. Gupta, L.K. Varga and T. Kulik
Effect of quenching rate on crystallization in $Fe_{73.5}Si_{13.5}B_9Cu_1Nb_3$ alloy 372

S.N. Kane, A. Gupta, L. Kraus and P. Duhaj
Effect of Nb content on the structural and magnetic properties of amorphous $Co_{21}Fe_{64-x}Nb_xB_{15}$ alloys 375

H. Chiriac, M. Lozovan, M. Neagu and C. Hison
Correlation between Hall effect and magnetostriction in nanocrystalline $Fe_{90}Hf_7B_3$ ribbons 378

R. Andrejco, R. Matejko, R. Varga, P. Vojtaník, P. Agudo, M. Vázquez, H. Sassik and R. Grössinger
Magnetic and structural properties of $Fe_{92-x}Nb_7Cu_1B_x$ alloys 381

R. Matejko, P. Vojtaník, R.S. Turtelli, H. Sassik and R. Grössinger
Magnetic properties of annealed FeNiZrCuB alloys 384

F. Alves, J.B. Desmoulins, D. Hérisson, J.F. Rialland and F. Costa
Stress-induced anisotropy in Finemet- and Nanoperm-type nanocrystalline alloys using flash annealing 387

S. Grognet, H. Atmani, R. Zuberek and J. Teillet
Structural and magnetic study of nitrogenated FeCu–(Nb,Zr)–SiB ribbons 391

H. Chiriac and N. Lupu
Bulk amorphous $(Fe,Co,Ni)_{70}(Zr,Nb,M)_{10}B_{20}$ (M = Ti, Ta or Mo) soft magnetic alloys 394

O.A. Bannykh, E.N. Sheftel, A.I. Krikunov, D.E. Kaputkin, G.Sh. Usmanova and R.E. Stroug
Changes of chemical composition and structure of soft magnetic nanocrystalline Fe–Zr–N alloy under vacuum annealing 397

V. Franco, C.F. Conde, A. Conde and L.F. Kiss
Superparamagnetic behaviour in an $Fe_{76}Cu_1Nb_3Si_{10.5}B_{9.5}$ alloy 400

V. Franco, C.F. Conde, A. Conde, B. Varga and A. Lovas
Thermomagnetic study of $Fe_{73.5-x}Cr_xSi_{13.5}B_9Cu_1Nb_3$ (x = 1,3,5,10) alloys 404

H. Chiriac, C.N. Colesniuc and T.-A. Óvári
FMR Investigation of the nanocrystalline FeCuNbSiB glass-covered wires 407

M. Hasiak, J. Zbroszczyk, J. Olszewski, W.H. Ciurzyńska, B. Wysłocki and A. Błachowicz
Effect of cooling rate on magnetic properties of amorphous and nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{15.5}B_7$ alloy 410

H. Chiriac, T.-A. Óvári and C.S. Marinescu
Large gyromagnetic effect in soft magnetic amorphous ribbons and wires 413

J. Olszewski, L.K. Varga, J. Zbroszczyk, W.H. Ciurzyńska, M. Hasiak and A. Błachowicz
Magnetic behavior of amorphous and nanocrystalline $Fe_{92-x}Zr_7Cu_1B_x$ (x = 2 or 6) alloys 416

J. Zbroszczyk, H. Fukunaga, J. Olszewski, W.H. Ciurzyńska, M. Hasiak and A. Błachowicz
Mössbauer and magnetic studies of amorphous and nanocrystalline $Fe_{85.4}Zr_{6.8-x}Nb_xB_{6.8}Cu_1$ (x = 0, 1, 2) alloys 419

A. Błachowicz, J. Zbroszczyk, J. Olszewski, W.H. Ciurzyńska, H. Fukunaga, K. Narita, B. Wysłocki and M. Hasiak
Magnetic softening of nanocrystalline $Fe_{74}Cu_1Nb_3Si_{12}B_{10}$ alloy obtained by two-step heat treatment 422

M. Tejedor, B. Hernando, M.L. Sánchez, V.M. Prida, G.V. Kurlyandskaya, D. García and M. Vázquez
Frequency dependence of hysteretic magnetoimpedance in CoFeMoSiB amorphous ribbons 425

K.H. Kim, Y.H. Kim, J. Kim, S.H. Han and H.J. Kim
Thickness effect on magnetic properties in nanocrystalline Fe–Hf–N thin films 428

I. Škorvánek, P. Duhaj and R. Grössinger
Low-temperature magnetic behaviour in amorphous and nanocrystalline Fe–Nb–B alloys 431

G. David, S. Roth, J. Eckert and L. Schultz
Effect of annealing in hydrogen on composition, structure and magnetic properties of rapidly quenched Fe–Co–Si–TM–B ribbons 434

M. Müller, H. Grahl, N. Mattern and B. Schnell
(FeCoNi)–ZrBCu base alloys, the influence of transition metal composition and heat treatment on structure and magnetic properties 437

I. Škorvánek, C.G. Kim, J. Kováč, P. Švec and R. Sato-Turtelli
Soft magnetic behaviour and permeability spectra in amorphous and nanocrystalline $Fe_{80.5}Nb_7B_{12.5}$ alloys 440

Y. Iwami, Y. Okazaki, T. Shimizu, T. Hirakawa and A. Saito
Effect of magnetic annealing on magnetization changes of amorphous ribbon under stress 443

M. LoBue, V. Basso, P. Tiberto, C. Beatrice and G. Bertotti
Hysteresis and thermal relaxation in nanocrystalline soft magnetic materials 446

T. Waeckerlé, Ph. Vérin, P. Cremer and D. Gautard
Induced anisotropy effect in nanocrystalline cores for GFCBs 449

N.V. Dmitrieva, N.M. Kleinerman, V.A. Lukshina, V.V. Serikov and A.P. Potapov
Thermal stability of the induced magnetic anisotropy and structure of the nanocrystalline alloy FeCuNbSiB 453

T. Kulik and M. Kopcewicz
Effect of quenching rate on magnetic properties and local magnetic anisotropy in $Fe_{78}Si_9B_{13}$ glass 455

A. Zeleňáková, M. Kuźmiński, J. Füzer, P. Kollár and T. Švec
Magnetic properties of surface layers of $Fe_{71.5}Si_{15.5-x}Cu_1Nb_3B_9Al_x$($x = 0,1,2,3$ at%) alloys with substitutions by aluminium 459

A. Lovas, L.F. Kiss and I. Balogh
Saturation magnetization and amorphous Curie point changes during the early stage of amorphous–nanocrystalline transformation of a FINEMET-type alloy 463

E. Ferrara, C. De Luigi, C. Beatrice, C. Appino and F. Fiorillo
Energy loss vs. magnetizing frequency in field-annealed nanocrystalline alloys 466

C. Morón, A. García and J.G. Zato
Plastic deformation of the current-annealed amorphous ribbons 469

E.E. Shalyguina, L.M. Bekoeva and K.-H. Shin
Investigation of Co-rich amorphous microwires by help of magneto-optical method with micron resolution 472

G. Vlasák, Z. Kaczkowski and P. Duhaj
Magnetostriction of the $Fe_{73.5}Cu_1Ta_2Nb_1Si_{13.5}B_9$ alloy 476

G. Vlasák
Direct measurement of magnetostriction of rapidly quenched thin ribbons 479

A. Sólyom, P. Petrovič, P. Marko, J. Kováč and G. Konczos
Study of Fe–Zr–U–B and Fe–Zr–U–Cu–B nanocrystalline alloys 482

S.J. Ahn, K.J. Jang and C.G. Kim
The variation of giant magneto-impedance ratio in amorphous $Co_{66}Fe_4NiB_{14}Si_{15}$ ribbon annealed by pulsed Nd:YAG laser 484

K.J. Jang, C.G. Kim, S.S. Yoon and S.-C. Yu
Effect of annealing field on asymmetric giant magnetoimpedance profile in Co-based amorphous ribbon 488

A. Zorkovská, J. Kováč, P. Sovák, P. Petrovič and M. Konč
Structure and magnetic behaviour of Fe–Cu–Nb–Si–B–Al alloys 492

A. Ślawska-Waniewska, P. Didukh, H.K. Lachowicz and T. Kulik
Microstructural transformation and magnetic properties of annealed CoNbCuSiB alloy 495

B. Todorow, O. von Bogen and S. Kanellis
Apparatus for real-time observations of the annealing process of metallic glasses 499

N. Wójcik, R. Kolano and A. Kolano
Construction and magnetic properties of the amorphous–nanocrystalline cores 503

G. Herzer and L.K. Varga
Exchange softening in nanocrystalline alloys 506

5. Low dimensional materials: powders, thin films, wires

V. Segal, A. Rabinovich, D. Nattrass, K. Raj and A. Nunes
Experimental study of magnetic colloidal fluids behavior in power transformers 513

G.V. Kurlyandskaya, J.M. Barandiaran, M. Vázquez, D. García, J. Gutiérrez, V.O. Vas'kovskiy and V.N. Lepalovskij
The magnetoresistance contribution to the total magnetoimpedance of thin films: a simple model and experimental basis 516

V.G. Kostishyn, V.V. Medved' and L.M. Letyuk
Magnetic microstructure and properties of $Y_3Fe_5O_{12}$ epitaxial films with the various contents of Pb ions 519

H.-C. Lee, T.-K. Kim and H. Lee
Magnetoresistance properties of Co/Cu multilayer films with FeN and Co layers 522

H.R. Khan and K. Petrikowski
Anisotropic structural and magnetic properties of arrays of $Fe_{26}Ni_{74}$ nanowires electrodeposited in the pores of anodic alumina 526

T. Yamaguchi, M. Sakita, M. Nakamura and T. Kobira
Synthesis and characteristics of Fe_4N powders and thin films 529

S.-H. Song, K.-S. Kim, S.-C. Yu, C.G. Kim and M. Vázquez
Asymmetric GMI characteristics in current-biased amorphous $(Co_{0.94}Fe_{0.06})_{72.5}Si_{12.5}B_{15}$ wire 532

H. Chiriac, M. Lozovan and M. Urse
On Hall effect and thermoelectrical properties of $(FeNiCo)_x$–$(SiO_2)_{1-x}$ nanocomposite thin films 535

H. Chiriac, C.S. Marinescu and T.-A. Óvári
Temperature dependence of the magneto-impedance effect in Co-rich amorphous glass-covered wires 539

W.H. Ciurzyńska
Effect of the silicon content on the magnetic susceptibility disaccommodation in silicon–iron ribbons 542

N.A. Usov, A.S. Antonov and N.S. Perov
Remagnetization process in magnetically soft amorphous wire under the influence of magnetic field of alternating current 545

S.-I. Park, Y.H. Kim, B.W. Lee, Y.S. Cho and C.S. Kim
Magnetic properties of La–Sr–Mn–O/Si thin film as a function of RF magnetron power and O_2 partial pressure 548

C.S. Kim, Y.R. Uhm, S.B. Kim and J.-G. Lee
Magnetic properties of $Y_{3-x}La_xFe_5O_{12}$ thin films grown by a sol–gel method 551

Y.R. Uhm, J.C. Sur and C.S. Kim
Magnetic properties and Mössbauer studies of $Gd_{1-x}Sr_xFeO_{3-y}$ ($x = 0.25, 0.75$) 554

P.W. Jang, W.T. Kim, T.W. Choi, S.-C. Yu and J. Kim
Origin of uniaxial anisotropy of Fe(0 0 1) films epitaxially grown on Pd(0 0 1)/Cu(0 0 1)/Si(0 0 1) 557

P. Kollár, J. Kováč, J. Füzer, P. Sovák, E. Pancuráková and M. Konč
The structure and magnetic properties of a powder FeCuNbSiB material 560

M. Carbucicchio, C. Grazzi, M. Rateo, G. Ruggiero, M. Solzi and G. Turilli
Size-dependent magnetic properties in Fe/Al multilayers 563

T. Stobiecki, J. Wrona, M. Czapkiewicz, C. Prados, F.J. Castaño, D. Garcia, M. Vázquez, M. Kopcewicz, A. Grabias and R. Żuberek
Uniaxial magnetic properties of sputtered FeB/Cu/FeB trilayers deposited onto bowed substrates 566

T. Stobiecki, G. Gładyszewski, D. Chocyk, M. Czapkiewicz, J. Wrona and D. Żardecki
Structure and oscillatory coupling in NiFe/Ag multilayers with low coercivity 570

T. Kanada and M. Enokizono
A slant type shape memory alloy 573

K.Yu. Guslienko and A.N. Slavin
Spin-wave excitations in cylindrical magnetic dot arrays with in-plane magnetization 576

L.J. Maksymowicz, M. Lubecka and R. Jabłoński
Magnetic semiconductor thin films of $CdCr_{2-2x}In_{2x}Se_4$ in spin glass state 579

C.G. Kim, B.S. Park, D.Y. Kim, J.S. Song and B.K. Min
Temperature dependence of the AMR curve in NiO/NiFe bilayers 582

D.Y. Kim, C.G. Kim, B.S. Park and C.M. Park
Thickness dependence of planar Hall resistance and field sensitivity in NiO(30 nm)/NiFe(t) bilayers 585

J.-L. Mattei and M. Le Floc'h
A numerical approach of the inner demagnetizing effects in soft magnetic composites 589

6. Material and circuit behaviour: analysis and modelling of induction, eddy currents, losses, noise

G. Kádár and G. Szabó
Hysteresis modeling 592

J. Füzi
Anisotropic vector Preisach particle 597

A. Karimi, Ch. Azcoitia and J. Degauque
Relationships between magnetomechanical damping and magnetic properties of Fe–Cr(Al,Mo) alloys 601

T. Chevalier, A. Kedous-Lebouc and B. Cornut
A method to evaluate effects of eccentricity and anisotropy on iron losses of electrical machines. Application to an induction motor 604

T. Nakata, Y. Ishihara, M. Nakaji and T. Todaka
Comparison between the H-coil method and the magnetizing current method for the single sheet tester 607

N. Derebasi, R. Rygal, A.J. Moses and D. Fox
Variation of magnetic properties of toroidal cores with magnetizing frequency 611

S.A. Spornic, A. Kedous-Lebouc and B. Cornut
Anisotropy and texture influence on 2D magnetic behaviour for silicon, cobalt and nickel iron alloys 614

N. Baumgartinger, C. Krell, H. Pfützner and G. Krismanic
Application of neural networks for the prediction of multidirectional magnetostriction 617

M.A. Raulet, J.P Masson, H. Fraisse and J.J. Rousseau
Test of the sample geometry independence of a dynamic hysteretic behavioral model of magnetic materials 620

T. Chevalier, A. Kedous-Lebouc and B. Cornut
Influence of electrical sheet width on dynamic magnetic properties 623

N. Soda and M. Enokizono
E&S hysteresis model for two-dimensional magnetic properties 626

D.P. Makhnovskiy, L.V. Panina and D.J. Mapps
Asymmetrical magneto-impedance in a sandwich film with a transverse anisotropy using an AC bias 629

C. Krell, N. Baumgartinger, G. Krismanic, E. Leiss and H. Pfützner
Relevance of multidirectional magnetostriction for the noise generation of transformer cores 634

A. Ilo, H. Pfützner and T. Nakata
Critical induction – a key quantity for the optimisation of transformer core operation 637

J. Sláma, P. Krivošík and V. Jančárik
Modification of permeability components modelling 641

O. Benda, J. Bydžovský, P. Krivošík and E. Ušák
Comparision of simulated and measured magnetisation curves using a rigorously identified moving Preisach model 644

7. Measurement techniques

J. Sievert
The measurement of magnetic properties of electrical sheet steel – survey on methods and situation of standards (*Invited paper*) 647

R. Schäfer
Domains in 'extremely' soft magnetic materials 652

P. Beckley
Industrial magnetic measurements 664

A.J. Moses, A. Ntatsis, T. Kochmann and J. Schneider
Magnetostriction in non-oriented electrical steels: general trends 669

D. Makaveev, M. von Rauch, M. De Wulf and J. Melkebeek
Accurate field strength measurement in rotational single sheet testers 673

M.D. Michelena, P. Sánchez, E. López, M.C. Sánchez and C. Aroca
Optical vibrating-sample magnetometer 677

W.-S. Cho, T.-S. Yoon, H. Lee and C.-O. Kim
Annealing effect on the longitudinal and transverse incremental permeability in FeSmO thin films 680

N. Derebasi, R. Rygal, A.J. Moses and D. Fox
A novel system for rapid measurement of high-frequency magnetic properties of toroidal cores of different sizes 684

R. Rygal, A.J. Moses, N. Derebasi, J. Schneider and A. Schoppa
Influence of cutting stress on magnetic field and flux density distribution in non-oriented electrical steels 687

A.J. Moses, N. Derebasi, G. Loisos and A. Schoppa
Aspects of the cut-edge effect stress on the power loss and flux density distribution in electrical steel sheets 690

V. Goričan, B. Hribernik, A. Hamler and T. Nakata
The measurement of power losses at high magnetic field densities or at small cross-section of test specimen using the averaging 693

Y. Ishihara, A. Isozumi, T. Todaka and T. Nakata
Comparison of two averaging methods for improving the measurement accuracy of power loss 696

T. Chady and M. Enokizono
Multi-frequency exciting and spectrogram-based ECT method 700

M. Enokizono and Y. Takeshima
Measurement system of alternating magnetic properties under DC-biased field 704

B. Butvinová, P. Butvin and V. Ocelík
Susceptibility and its disaccommodation in nanocrystalline FeNb-based materials 708

H. Ahlers and J. Lüdke
The uncertainties of magnetic properties measurements of electrical sheet steel 711

P.I. Anderson, A.J. Moses and H.J. Stanbury
An automated system for the measurement of magnetostriction in electrical steel sheet under applied stress 714

M.J. Hall, A.E. Drake and L.C.A. Henderson
Traceable measurement of soft magnetic materials at high frequencies 717

G. Krismanić, H. Pfützner and N. Baumgartinger
A hand-held sensor for analyses of local distributions of magnetic fields and losses 720

V. Ström and K.V. Rao
A novel method for magnetic imaging: determination of local in-plane susceptibility at a surface 723

J. Bajorek and J. Kolasa
Non-destructive method of magnetic permeability control of non-magnetic machine elements 726

8. Applications: actuators, sensors, power engineering, launching

P. Marín and A. Hernando
Applications of amorphous and nanocrystalline magnetic materials (*Invited paper*) 729

P. Ripka
New directions in fluxgate sensors 735

G.V. Kurlyandskaya, J.M. Barandiarán, M. Vázquez, D. García and N.V. Dmitrieva
Influence of geometrical parameters on the giant magnetoimpedance response in amorphous ribbons 740

A.F. Cobeño, A.P. Zhukov, E. Pina, J.M. Blanco, J. Gonzalez and J.M. Barandiaran
Sensitive magnetoelastic properties of amorphous ribbon for magnetoelastic sensors 743

J. Füzi
Strong coupling in electromechanical computation 746

S. Tumanski
The experimental verification of the condition of the magnetic material caused by different technological processes 749

B. Štumberger, B. Hribernik and V. Goričan
Flux distortion and iron losses in flux-weakened permanent magnet synchronous motor 753

J.L. Prieto, C. Aroca, E. Lopez, M.C. Scanchez, P. Sanchez
Magnetostrictive-piezoelectric magnetic sensor with current excitation 756

H. Chiriac, E. Hristoforou, M. Neagu and M. Pieptanariu
Linear variable differential transformer sensor using glass-covered amorphous wires as active core 759

G. Vértesy, A. Gasparics, Z. Vértesy and E. Tóth-Kádár
Influence of the core material polishing on the Flux-set sensor's operation 762

D.-G. Park, C.G. Kim and J.-H. Hong
Microstructural dependence of Barkhausen noise and magnetic relaxation in the weld HAZ of an RPV steel 765

M. Pasquale, A. Infortuna, L. Martino, C. Sasso, C. Beatrice and S.H. Lim
Magnetic properties of TbFe thin films under applied stress 769

M. Enokizono, S. Fujiyama, H. Simoji and J. Sievert
Localized distribution of two-dimensional magnetic properties in three-phase induction motor core model 772

E. Kaniusas, L. Mehnen, C. Krell and H. Pfützner
A magnetostrictive acceleration sensor for registration of chest wall displacements 776

L. Mehnen, H. Pfützner and E. Kaniusas
Magnetostrictive amorphous bimetal sensors 779

B.T. Cięciwa, M. Lubecka, L.J. Maksymowicz, W. Powroźnik and J. Sokulski
Magnetic semiconductor thin films of $CdCr_{2-2x}In_{2x}Se_4$ photoconductivity 782

D.G. Park, D.W. Kim, J.H. Hong, V.P. Timofeev and C.G. Kim
HTS SQUID application for measuring the magnetic properties of AISI type 316L(N) steel 785

H. Hauser, J. Hochreiter, G. Stangl, R. Chabicovsky, M. Janiba and K. Riedling
Anisotropic magnetoresistance effect field sensors 788

R. Kolano, J. Pinkiewicz, N. Wójcik, J. Sobota and J. Szynowski
An effect of manufacturing conditions on the properties of a 250 kVA three-limb three-phase distribution amorphous transformer 792

P. Ripka and G. Vértesy
Sensors based on soft magnetic materials. Panel discussion 795

9. Very high frequency (GHz) inductive elements

V. Korenivski
GHz magnetic film inductors (*Invited paper*) 800

M. Yamaguchi, K. Suezawa, Y. Takahashi, K.I. Arai, S. Kikuchi, Y. Shimada, S. Tanabe and K. Ito
Magnetic thin-film inductors for RF-integrated circuits 807

M.-J. Malliavin, O. Acher, F. Bertin and V.S. Larin
High-frequency permeability of thin amorphous wires under an external field 811

Author Index 813

Subject Index 825